According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : VIRKON AQUATIC TABLETS

Product code : 00000000057811289

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Disinfectants

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Antec International Limited

Windham Road

CO10 2XD Sudbury / Suffolk

Chilton Industrial Estate, Great Britain

Responsible Department : +49 221 8885 2288

infosds@lanxess.com

1.4 Emergency telephone number

Emergency telephone number : For 24/7 multilingual emergency please call

CHEMTREC EMEA: +44 20 3885 0382 and mention

CCN1018725.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

Hazard pictograms :

Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face pro-

tection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

Hazardous components which must be listed on the label:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate)

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide potassium hydrogensulphate

Additional Labelling

EUH208 Contains dipotassium peroxodisulphate. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
---------------	---------	----------------	---------------





According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

Version Revision Date: SDS Number: Date of last issue: 22.09.2022 3.0 03.06.2025 203000008859 Country / Language: GB / 6N(EN)

	EC-No. Index-No. Registration number		(% w/w)
Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate)	70693-62-8 274-778-7 01-2119485567-22	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 30 - < 50
malic acid	6915-15-7 230-022-8	Eye Irrit. 2; H319	>= 20 - < 30
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide	Not Assigned 932-051-8	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 3 - < 10
sulphamidic acid	5329-14-6 226-218-8 016-026-00-0	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 2.5 - < 10
potassium hydrogensulphate (Impurity)	7646-93-7 231-594-1 016-056-00-4	Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>=1-<3
dipotassium peroxodisulphate (Impurity)	7727-21-1 231-781-8 016-061-00-1	Ox. Sol. 3; H272 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	>= 0.1 - < 1

For explanation of abbreviations see section 16.

Disclaimer: EC numbers starting with 1, 6, 7, 8, 9, or a letter in this document are ECHA List Numbers used for internal reference and do not carry legal significance as typical EC Numbers in Safety Data Sheets.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

If inhaled : Remove victim to fresh air and keep at rest in a position com-

LANXESS Group

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

Version Revision Date: SDS Number: Date of last issue: 22.09.2022 3.0 03.06.2025 203000008859 Country / Language: GB / 6N(EN)

fortable for breathing.

If symptoms persist, call a physician.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact If skin irritation persists, call a physician.

> If on skin, rinse well with water. If on clothes, remove clothes,

In case of eye contact Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks Causes skin irritation.

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water spray (fog), foam or dry chemical.

Unsuitable extinguishing

Carbon dioxide (CO2) media High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Print Date: 04.06.2025

Sulphur oxides Metal oxides

Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Halogenated compounds

4/26

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Protect from moisture.

Avoid formation of respirable particles.

Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

Version Revision Date: SDS Number: Date of last issue: 22.09.2022 3.0 03.06.2025 203000008859 Country / Language: GB / 6N(EN)

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Protect from moisture. Keep away from: Combustible sub-

stances Strong bases

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological

safety standards.

Advice on common storage : Keep away from alkalis.

Further information on stor-

age stability

Keep in a dry place.

Stable under recommended storage conditions.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protective equipment

Eye/face protection : Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : Butyl rubber - IIR

Wearing time : < 60 min

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

After contamination with product change the gloves immediately and dispose of them according to relevant national and

local regulations

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

6 / 26
Print Date: 04.06.2025

A company of the LANXE

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

derived from it.

Skin and body protection : Wear suitable protective clothing.

Dust impervious protective suit

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : Recommended Filter type:

ABEK-P2-filter

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : tablet

Physical state : solid

Colour : pink

Odour : odourless

Odour Threshold : No data available

pH : 2.6 - 3.2

Concentration: 10 %

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Burning number : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative density : No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

Density : No data available

Solubility(ies)

Water solubility : 65 g/l

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Method: Regulation (EC) No. 440/2008, Annex, A.17

9.2 Other information

Self-ignition : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions :

Under normal conditions of storage and use, hazardous reac-

tions will not occur.

Stable under recommended storage conditions.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Exposure to moisture

10.5 Incompatible materials

Print Date: 04.06.2025

Materials to avoid : Incompatible with strong bases and oxidizing agents.

water

Combustible substances Halogenated compounds

Cyanides

8/26



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

Version Revision Date: SDS Number: Date of last issue: 22.09.2022 3.0 03.06.2025 203000008859 Country / Language: GB / 6N(EN)

Incompatible with acids.

brass Copper Metal salt.

10.6 Hazardous decomposition products

Hazardous decomposition

products

Oxygen Chlorine

Sulphur oxides **Hypochlorites**

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

LD50 (Rat. male and female): 4.123 mg/kg Acute oral toxicity

Method: OECD Test Guideline 401

Acute inhalation toxicity LC50 (Rat, male and female): > 3.7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: the particle size measurements of the product indicate that it is not respirable and therefore not bioavailable by

the inhalation route.

Acute dermal toxicity LD50 (Rat, male and female): > 5,000 mg/kg

Remarks: Extrapolation according to Regulation (EC) No.

440/2008

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Acute oral toxicity LD50 (Rat, male and female): 500 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity LC0 (Rat, male): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest producible concentration.

Acute dermal toxicity LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Extrapolation according to Regulation (EC) No.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

Version Revision Date: SDS Number: Date of last issue: 22.09.2022 3.0 03.06.2025 203000008859 Country / Language: GB / 6N(EN)

440/2008

malic acid:

Acute oral toxicity : LD50 (Rat, male and female): 3,500 mg/kg

Method: OECD Test Guideline 401

GLP: No

Acute inhalation toxicity : LC0 (Rat, male and female): > 1.306 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit, female): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: No

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Acute oral toxicity : LD50 (Rat, male and female): 2,240 mg/kg

Method: OECD Test Guideline 401

GLP: No

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: Yes

Remarks: Test results on an analogous substance/product.

sulphamidic acid:

Acute oral toxicity : LD50 (Rat, female): 2,140 mg/kg

Method: OECD Test Guideline 401

GLP: Yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: Yes

Assessment: The substance or mixture has no acute dermal

toxicity

potassium hydrogensulphate:

Acute oral toxicity : LD50 (Rat): 2,340 mg/kg

dipotassium peroxodisulphate:

Print Date: 04.06.2025

Acute oral toxicity : LD50 (Rat): 700 mg/kg

Acute inhalation toxicity : LC0 (Rat): > 2.95 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

10 / 26

LANXESS Group

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Irritating to skin.

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Species : Rabbit

Method : OECD Test Guideline 404

Result : Causes burns.

malic acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

GLP : No

sulphamidic acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Irritating to skin.

potassium hydrogensulphate:

Assessment : Causes burns.

dipotassium peroxodisulphate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Print Date: 04.06.2025

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Species : Rabbit

Method : OECD Test Guideline 405
Result : Risk of serious damage to eyes.

11/26



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

malic acid:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

GLP : No

sulphamidic acid:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.

dipotassium peroxodisulphate:

Result : Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

Exposure routes : Inhalation

Species : Mammal - species unspecified

Method : Expert judgement

Result : Does not cause respiratory sensitisation.

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

malic acid:

Exposure routes : Skin contact Species : Guinea pig

12 / 26 Print Date: 04.06.2025



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

Version Revision Date: SDS Number: Date of last issue: 22.09.2022 3.0 03.06.2025 203000008859 Country / Language: GB / 6N(EN)

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : Yes

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : Yes

Remarks : Test results on an analogous substance/product.

sulphamidic acid:

Result : Did not cause sensitisation on laboratory animals.

dipotassium peroxodisulphate:

Exposure routes : Inhalation

Species : Mammal - species unspecified Result : May cause sensitisation by inhalation.

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Print Date: 04.06.2025

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Genotoxicity in vitro : Test system: Mammalian-Animal

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: positive GLP: Yes

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: Yes

Test system: Mammalian-Human

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: positive GLP: Yes

A company of the LANXESS

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

Genotoxicity in vivo : Species: Mammalian-Animal

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

malic acid:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxi-

cological tests.

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: Yes

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474

Result: negative GLP: Yes

Remarks: Test results on an analogous substance/product.

sulphamidic acid:

Genotoxicity in vitro : Test system: Mammalian-Human

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative GLP: Yes

Test system: Mammalian-Animal

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

dipotassium peroxodisulphate:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxi-

cological tests.

Carcinogenicity

Print Date: 04.06.2025

Not classified due to lack of data.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

Components:

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Species : Rat, male and female

Application Route : Dermal Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : negative GLP : Yes

Remarks : Test results on an analogous substance/product.

Species : Mouse, male and female

Application Route : Dermal Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : negative GLP : Yes

Remarks : Test results on an analogous substance/product.

Reproductive toxicity

Not classified due to lack of data.

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Effects on foetal develop- : Remarks: No teratogenic or foetotoxic effects were found at all

ment dose levels tested.

malic acid:

Effects on foetal develop-

ment

Remarks: No known significant effects or critical hazards.

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Effects on fertility : Test Type: Three-generation study

Species: Rat, male and female

Application Route: Oral

Dose: 0 - 14 - 70 milligram per kilogram

General Toxicity - Parent: NOAEL: 350 mg/kg body weight General Toxicity F1: NOAEL: 350 mg/kg body weight General Toxicity F2: NOAEL: 350 mg/kg body weight

Fertility: NOAEL: 350 mg/kg body weight

Early Embryonic Development: NOAEL: 350 mg/kg body

weight

Result: No effects on fertility and early embryonic develop-

ment were detected.

GLP: No

Remarks: Test results on an analogous substance/product.

Effects on foetal develop-

ment

Print Date: 04.06.2025

Test Type: Embryo-foetal development

Species: Rat, female Application Route: Oral



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

Dose: 0,2 - 2 - 300 - 600 milligram per kilogram

General Toxicity Maternal: NOAEL: 300 mg/kg body weight

Teratogenicity: NOAEL: 300 mg/kg body weight

Developmental Toxicity: NOAEL: 300 mg/kg body weight Embryo-foetal toxicity: NOAEL: 600 mg/kg body weight

GLP: No

Remarks: Test results on an analogous substance/product.

STOT - single exposure

Not classified due to lack of data.

Components:

potassium hydrogensulphate:

Assessment : May cause respiratory irritation.

dipotassium peroxodisulphate:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Species : Rat, male and female LOAEL : > 1,000 mg/kg

Application Route : Oral Exposure time : 28 d

Number of exposures : 7 days/week

Method : OECD Test Guideline 407

Remarks : Subacute toxicity

Species : Rat, male and female

LOAEL : 600 mg/kg

Application Route : Oral Exposure time : 90 d

Number of exposures : 7 days/week

Method : OECD Test Guideline 408
Remarks : Subchronic toxicity

malic acid:

Print Date: 04.06.2025

Remarks : No known significant effects or critical hazards.

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Species : Rat, male and female

 NOAEL
 : 85 mg/kg

 LOAEL
 : 145 mg/kg

Application Route : Oral

16 / 26



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

Version Revision Date: SDS Number: Date of last issue: 22.09.2022 3.0 03.06.2025 203000008859 Country / Language: GB / 6N(EN)

Exposure time : 270 d

Dose : 85-145-430 mg/kg bw/d

Remarks : Chronic toxicity

Test results on an analogous substance/product.

Species : Mouse, male and female

NOAEL : 440 mg/kg LOAEL : 1,300 mg/kg Application Route : Skin contact

Exposure time : 90 d

Dose : 17-50-140-440-1300 mg/kg bw/d Method : OECD Test Guideline 411

GLP : Yes

Remarks : Subchronic toxicity

Test results on an analogous substance/product.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Salmo salar (Atlantic salmon)): 24.6 mg/l

Exposure time: 96 h

Method: Regulation (EC) No. 440/2008, Annex, C.1

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 6.5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Fresh water

Toxicity to algae/aquatic

plants

NOEC (Desmodesmus subspicatus (green algae)): 6.25 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Fresh water

Components:

Print Date: 04.06.2025

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: Yes

Remarks: Fresh water

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

Version Revision Date: SDS Number: Date of last issue: 22.09.2022 3.0 03.06.2025 203000008859 Country / Language: GB / 6N(EN)

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: Yes

Remarks: Fresh water

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: Yes

Remarks: Fresh water

NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.5

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: Yes

Remarks: Fresh water

malic acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: Yes

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 240 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: Yes

Remarks: Fresh water

Toxicity to algae/aquatic

plants

Print Date: 04.06.2025

EC50 (algae): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: Yes

Remarks: Fresh water

NOEC (algae): 100 mg/l Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: Yes

Remarks: Fresh water

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 5.5 mg/l

Exposure time: 96 h Analytical monitoring: Yes

Method: OECD Test Guideline 203

GLP: Yes

Remarks: Fresh water

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 8.8 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

Version Revision Date: SDS Number: Date of last issue: 22.09.2022 3.0 03.06.2025 203000008859 Country / Language: GB / 6N(EN)

aquatic invertebrates Exposure time: 48 h

Analytical monitoring: Yes

Method: OECD Test Guideline 202

GLP: Yes

Remarks: Fresh water

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 72 mg/l

End point: Growth rate Exposure time: 72 h Analytical monitoring: Yes

Method: OECD Test Guideline 201

GLP: Yes

Remarks: Fresh water

EC10 (Desmodesmus subspicatus (green algae)): 8.4 mg/l

End point: Growth rate Exposure time: 72 h Analytical monitoring: Yes

Method: OECD Test Guideline 201

GLP: Yes

Remarks: Fresh water

Toxicity to microorganisms : EC10 (Pseudomonas putida): 56 mg/l

End point: Growth rate Exposure time: 16 h Analytical monitoring: No Method: DIN 38 412 Part 8

GLP: Yes

Toxicity to fish (Chronic tox-

icity)

NOEC: > 0.1 - 1 mg/l Exposure time: 72 d

Species: Oncorhynchus mykiss (rainbow trout)

Analytical monitoring: Yes

GLP: Yes

Remarks: Fresh water

Test results on an analogous substance/product.

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 0.1 - 1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Analytical monitoring: Yes

Method: OECD Test Guideline 211

GLP: Yes

Remarks: Fresh water

Test results on an analogous substance/product.

sulphamidic acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70.3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: No

Remarks: Fresh water

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 71.6 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: Yes

Remarks: Fresh water

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 48 mg/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: Yes

Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 18 mg/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: Yes

Remarks: Fresh water

Toxicity to microorganisms : EC50 : > 200 mg/l

End point: Respiration inhibition

Exposure time: 3 h

Method: OECD Test Guideline 209

GLP: Yes

Remarks: Fresh water

Toxicity to fish (Chronic tox-

icity)

NOEC: >= 60 mg/l

Exposure time: 34 d

Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 19 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

dipotassium peroxodisulphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 76.3 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 120 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): 83.7

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

12.2 Persistence and degradability

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Biodegradability : Result: Expert judgement: not chronically bioavailable in the

aquatic environment

Remarks: The methods for determining the biological degra-

dability are not applicable to inorganic substances.

malic acid:

Biodegradability : Test Type: aerobic

Result: Readily biodegradable. Biodegradation: 67.5 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: Yes

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Biodegradability : Result: rapidly biodegradable

Biodegradation: 94 % Exposure time: 28 d

Method: Regulation (EC) No. 440/2008, Annex, C.4-A

sulphamidic acid:

Biodegradability : Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

dipotassium peroxodisulphate:

Biodegradability : Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Partition coefficient: n- : log Pow: < 0.3

octanol/water Method: OECD Test Guideline 117

malic acid:

Partition coefficient: n-

octanol/water

Print Date: 04.06.2025

log Pow: -1.26

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is not expected.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

Version Revision Date: SDS Number: Date of last issue: 22.09.2022 3.0 03.06.2025 203000008859 Country / Language: GB / 6N(EN)

Partition coefficient: n-

octanol/water

log Pow: 0.7 (20 °C)

pH: 6

Method: OECD Test Guideline 117

sulphamidic acid:

Partition coefficient: n-

octanol/water

log Pow: -4.34

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

This substance/mixture does not contain components considered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

according to create the create th

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

Print Date: 04.06.2025

ADN : Not regulated as a dangerous good

A company of the LANXESS

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Print Date: 04.06.2025

Not regulated as a dangerous good

14.6 Special precautions for user

Hazard and Handling Notes : Not dangerous cargo.

Irritating to skin.

Risk of serious damage to eyes.

Keep dry.

Keep away from foodstuffs, acids and alkalis.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

Not applicable

Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

International Chemical Weapons Convention (CWC) :

Schedules of Toxic Chemicals and Precursors

Not applicable

Regulation (EU) No 2024/590 on substances that de-

plete the ozone layer

Not applicable

Council Regulation (EC) No 111/2005 laying down rules :

for the monitoring of trade between the Community and

third countries in drug precursors.

Neither banned nor restricted

Council Regulation (EC) No 273/2004 on drug precur-

sors

: Not applicable

UK REACH List of substances subject to authorisation

(Annex XIV)

: Not applicable

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH)

Not applicable

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

No data available

Print Date: 04.06.2025



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

SECTION 16: Other information

Full text of H-Statements

H272 : May intensify fire; oxidizer. H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H334 : May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

H335 : May cause respiratory irritation.

H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Print Date: 04.06.2025

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Ox. Sol. : Oxidizing solids

Resp. Sens. : Respiratory sensitisation

Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet;

> LANXESS Group

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VIRKON AQUATIC TABLETS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.09.2022

 3.0
 03.06.2025
 203000008859
 Country / Language: GB / 6N(EN)

SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Print Date: 04.06.2025

Classification of the mixture: Classification procedure:

Skin Irrit. 2 H315 Based on product data or assessment Eye Dam. 1 H318 Calculation method

Aquatic Chronic 3 H412 Calculation method

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.

LANXESS Group